

Section	Number	Title and Authors
Human Exposure I _ Background Contamination	O001	Dioxins and dioxin-like PCBs in foodstuffs _ Levels and trends D. Liem (The Netherlands)
Human Exposure I _ Background Contamination	O002	Background contamination of humans with dioxins and dioxin-like PCBs O. Paepke (Germany)
Human Exposure I _ Background Contamination	O003	Dioxin archaeology _ Revealing of potential human exposures to polychlorinated dioxins and furans in the early 40s G. Lindstr (Sweden)
Human Exposure I _ Background Contamination	O004	PCDD/Fs in Venetian foods and a quantitative assessment of dietary intake E. Zanutto (Italy)
Human Exposure I _ Background Contamination	O005	PCDDs and PCDFs in the serum of the non-occupationally exposed New Zealand population M.N. Bates (New Zealand)
Different Accidents	O006	Perspective on accidental exposure to dioxin-like compounds J.J. Ryan (Canada)
Different Accidents	O007	Strong PCDD/Fs pollution in the territory of a chemical plant as an aftereffect of 2,4,5-T and TCP production Z. Amirova (Russia)
Different Accidents	O008	CBs and PCDDs/Fs levels in deer tissue samples following an accidental release from a special waste treatment center: 1999 results S. Gabos (Canada)
Endocrine Disruption I	O009	Antiandrogenic effects of 2,2-bis(4-chlorophenyl)-1,1-dichloroethylene (p,p ' -DDE) in neonatal and fetal rats M.J. De Vito (USA)
Endocrine Disruption I	O010	Chloro- s -triazine herbicides and certain metabolites induce aromatase (CYP19) activity in H295R human adrenocortical carcinoma cells J.T. Sanderson (The Netherlands)
Endocrine Disruption I	O011	Neurobehavioural teratology of laboratory rodents: Methodological issues in a study of early postnatal exposure to 2,2',6,6' -and 3,3' ,4,4' -tetrachlorobiphenyl D. Santucci (Italy)

Endocrine Disruption I	O012	Low-level exposure to PCBs is associated with immune and endocrine disruption in neonatal harbor seals (<i>Phoca vitulina</i>) from the California coast S. Shaw (UK)
Analysis I	O013	A strategy for chemical analysis of halogenated environmental pollutants † . Bergman (Sweden)
Analysis I	O014	A screening method for PCDD/Fs and non-ortho PCBs in biological matrixes C.Y. Chen (USA)
Analysis I	O015	Simultaneous determination of chlorinated and brominated diphenyl ethers in biota D.B. Sergeant (Canada)
Analysis I	O016	Application of an immunoaffinity column to the isolation of PCDD/Fs from serum samples J.K. Huwe (USA)
Analysis I	O017	Optimization of gas chromatographic parameters for reduced analysis times of chlorinated organic compounds K.A. MacPherson (Canada)
Analysis I	O018	New fast single and multidimensional GC separations coupled with HRMS and TOF/MS for assessing human exposure to environmental toxicants D.G. Patterson (USA)
Ecotoxicology	O019	Wild biological reagents and dioxin risk assessment C.A. Redi (Italy)
Ecotoxicology	O020	Dioxin-like and non-dioxin-like toxic effects of polychlorinated biphenyls (PCBs): Implications for risk assessment J.P. Giesy (USA)
Ecotoxicology	O021	Biomagnification of structurally matched polychlorinated and polybrominated diphenylethers (PCDE/PBDE) in Zebrafish (<i>Danio rerio</i>) P.L. Andersson (Sweden)
Ecotoxicology	O022	The pharmacokinetics of 2,3,7,8-tetrachlorodibenzo-p-dioxin transfer from adult white leghorn chickens to their young R.L. Dickerson (USA)

Ecotoxicology	O023	Changes in food web structure affect rate of PCB decline in Herring Gull (<i>Larus argentatus</i>) eggs C. Hebert (Canada)
Ecotoxicology	O024	Instrumental and bioanalytical measures of dioxin-like activity in sediments from Masan Bay, Korea K. Kannan (USA)
Ecotoxicology	O025	Cytochrome P4501A induction in chicken embryo hepatocyte cultures by polycyclic aromatic hydrocarbons (PAHs) and TCDD. An approach for predicting the toxic potency of PAHs in developing avian embryos S.W. Kennedy (Canada)
Indoor and Occupational Pollutants	O026	Aspects on polybrominated diphenyl ethers as indoor, occupational and environmental pollutants G. Lindstr (Sweden)
Indoor and Occupational Pollutants	O027	Occupational exposure to polybrominated diphenyl ethers at dismantling of electronics Ambient air and human serum analysis A. Sj in (Sweden)
Indoor and Occupational Pollutants	O028	PCB contaminations of buildings and decontamination measures I. Bleeker (Germany)
Mathematical Models	O029	The use of structure _ Activity relationships in predicting biological effects of persistent organic pollutants J. Hermens (The Netherlands)
Mathematical Models	O030	Progress in assessing the fate and exposure of priority organic contaminants: The role of mass balance models D. Mackay (Canada)
Mathematical Models	O031	A QSAR study of organochlorine and isoflavenoid compounds ligand binding affinity to the human Oestrogen Receptor a M. Jacobs (UK)
Formation and Sources I	O032	Congener distributions of CDDs/CDFs as evidence for catalytic vs non-catalytic formation in combustion processes K. Olie (The Netherlands)

Formation and Sources I	O033	Evidence that diffuse domestic burning is an important source of PCDD/Fs and co-PCBs K.C. Jones (UK)
Formation and Sources I	O034	Kinetics of MSWI fly ash thermal degradation. Mechanism of native carbon gasification E. Collina (Italy)
Formation and Sources I	O035	The role of aliphatic organic chlorine in the formation of PCDD/PCDF on fly ash in comparison to inorganic chlorine P. Weber (Germany)
Formation and Sources I	O036	Mechanism of formation of polychlorinated biphenyls from the pyrolysis of chlorobenzenes M.H. Zheng (China)
Formation and Sources I	O037	Chlorinated components in lime used in production of contaminated citrus pulp pellets from Brazil P. Brooks (Brazil)
Formation and Sources I	O038	The natural production of organobromine compounds G.W. Gribble (USA)
Environmental Fate and Transport I	O039	Organochlorine contaminants in soils collected from remote sites around the world K. Jones (UK)
Environmental Fate and Transport I	O040	Interpreting the accumulation of dioxins and related compounds in plants M.S. McLachlan (Germany)
Environmental Fate and Transport I	O041	PCDD/PCDF-mobilizing compounds in root exudates of zucchini G. Neumann (Germany)
Environmental Fate and Transport I	O042	A study of the diurnal and nocturnal measurement of polychlorinated dibenzo-p-dioxins (CDDs) and polychlorinated dibenzofurans (CDFs) in ambient air D. Cleverly (USA)
Environmental Fate and Transport I	O043	Occurrence and behaviour of persistent lipophilic contaminants in the Southern Hemisphere D.W. Connell (Australia)

Environmental Fate and Transport I	O044	Evidence for an organic film on impervious urban and rural surfaces M.L. Diamond (Canada)
Chiral Compounds	O045	Benefits of partially alkylated cyclodextrins for the enantioselective separation of chiral polychlorinated compounds M. Oehme (Switzerland)
Chiral Compounds	O046	Theoretical modelling in combination with empirical investigations as a new tool for ecotoxicological evaluations of chiral pollutants. Chlorinated bornanes as an example R. Kallenborn (Norway)
Chiral Compounds	O047	Multidimensional HRGC-HRMS enantiomer separation - A suitable method for the determination of environmental behaviour of (+/-)-o, pÅf - DDT and its metabolite (+/-)-o, pI-DDD G. Leupold (Germany)
Chiral Compounds	O048	Enantioselective transformation of polycyclic musks in aquatic biota H. H. • nerfuss (Germany)
Chiral Compounds	O049	Enantioselective determination of atropin isomeric PCBs after liquid chromatographic enrichment W. Vetter (Germany)
Chiral Compounds	O050	Enantiomeric ratios of chiral polychlorinated biphenyl in stranded cetaceans from the Mediterranean Sea M.J. Gonzalez (Spain)
Chiral Compounds	O051	Chlordane components and metabolites in six arctic seabird species from the Northwater Polynya: Relationship between enantioselective analysis of chlordane metabolites and trophic level A.T. Fisk (Canada)
POPs _ International Action to Address Dioxins and Furans	O052	Progress in developing a United Nations Convention on Persistent Organic Pollutants (POPs) J. Buccini (Canada)
POPs _ International Action to Address Dioxins and Furans	O053	The UN/ECE Protocol on Persistent Organic Pollutants: Provisions and management options with special reference to dioxins and furans L. Nordberg (Switzerland)

POPs _ International Action to Address Dioxins and Furans	O054	The Thailand _ German Dioxin Program P. Chareonsong (Thailand)
POPs _ International Action to Address Dioxins and Furans	O055	Alternative technologies for destruction of PCBs and other POPs. The Australian experience I. Rae (Australia)
POPs _ International Action to Address Dioxins and Furans	O056	Environmentally sound management of POPs Wastes Secretariat of the Basel Convention V. Jugault (Switzerland)
POPs _ International Action to Address Dioxins and Furans	O057	DDT and malaria vector control R. Bos (Switzerland)
POPs _ International Action to Address Dioxins and Furans	O058	Children's exposure to dioxins and related compounds: A call for urgency for International action on the global POPs Convention L.R. Goldman (USA)
Human Exposure II _ Accidental and Occupational Exposure	O059	Elevated tissue levels following occupational and other special exposures to dioxins and related chemicals A. Schecter (USA)
Human Exposure II _ Accidental and Occupational Exposure	O060	Fate of exposed PCDFs and PCBs in patients with Yusho PCB poisoning Y. Masuda (Japan)
Human Exposure II _ Accidental and Occupational Exposure	O061	Comparison of frequency of sister chromatid exchanges and contamination level of dioxins and related chemicals in healthy Japanese and "Yusho" patients J. Nagayama (Japan)
Human Exposure II _ Accidental and Occupational Exposure	O062	PCDD/Fs in human milk and blood samples from a contaminated region near Lake Baikal M.S. McLachlan (Germany)
Human Exposure II _ Accidental and Occupational Exposure	O063	Genotoxic effects of dioxins among Chapaevsk human population L. Khripach (Russia)
Human Exposure II _ Accidental and Occupational Exposure	O064	Chloracne and its clinical and laboratory implications in two patients with 2,3,7,8-TCDD intoxication in Vienna A. Geusau (Austria)

Human Exposure II _ Accidental and Occupational Exposure	O065	Biomarkers in three subjects from Vienna highly exposed to 2,3,7,8-TCDD: CYP induction and immune function K. Abraham (Germany)
Human Exposure II _ Accidental and Occupational Exposure	O066	Seveso women's health study: Does zone of residence predict individual TCDD exposure B. Eskenazi (USA)
Human Exposure II _ Accidental and Occupational Exposure	O067	Health effects of chronic exposure of municipal waste incinerator workers to PCDD, PCDF, and co-PCB S. Watanabe (Japan)
Mechanisms of Toxicity: New Insights on the Ah Receptor	O068	Activation of the AhR by TCDD in the immune system: Cellular targets and consequences A.E. Silverstone (USA)
Mechanisms of Toxicity: New Insights on the Ah Receptor	O069	Regulation of dioxin receptor function J. McGuire (Sweden)
Mechanisms of Toxicity: New Insights on the Ah Receptor	O070	PCB-mediated endothelial cell dysfunction: Implications in atherosclerosis B. Hennig (USA)
Mechanisms of Toxicity: New Insights on the Ah Receptor	O071	Mixture effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin and polychlorinated biphenyl congeners in rats I. Chu (Canada)
Mechanisms of Toxicity: New Insights on the Ah Receptor	O072	Activation of the transcription factors NF-kB and AP-1 during the promotion of hepatocarcinogenesis by polychlorinated biphenyls (PCBs) H.P. Glauert (USA)
Mechanisms of Toxicity: New Insights on the Ah Receptor	O073	Mechanism of TCDD-mediated apoptosis in human T-lymphoblastic cell lines H. Kikuchi (Japan)
Mechanisms of Toxicity: New Insights on the Ah Receptor	O074	RPT-1, a new target for TCDD S. Donat (Germany)
Mechanisms of Toxicity: New Insights on the Ah Receptor	O075	Ah-receptor mediated induction of liver xanthine oxidase / xanthine dehydrogenase by 2,3,7,8-TCDD K. Sugihara (Japan)
Toxicology I	O076	Effects of dioxins in humans and correlation with animal data

Toxicology I	O077	D. Neubert (Germany) Mechanisms of dioxin-induced hepatocarcinogenesis in rats
Toxicology I	O078	N. Walker (USA) Relative potencies of halowax mixtures and individual polychlorinated naphthalenes (PCNs) to induce Ah receptor-mediated responses in the rat hepatoma H4IIE-Luc cell bioassay K. Kannan (USA)
Toxicology I	O079	Effects of exposure to a human milk PCB-DDT-DDE mixture from day 1 to 20, or to TCDD on day 18 of age, in prepubertal females, and on the development of methylnitrosourea-induced mammary tumors in the adult rat D. Desaulniers (Canada)
Toxicology I	O080	Derivation of probabilistic distributions for the W.H.O. mammalian toxic equivalency factors B. Finley (USA)
Toxicology I	O081	Interactive effects of different polychlorinated biphenyls in rat N. Johansson (Sweden)
Toxicology I	O082	Dose- and time-response of TCDD in Tg.AC mice after dermal and oral exposure A.P.J.M. van Birgelen (USA)
Formation and Sources II	O083	PCDD/F emissions from uncontrolled, domestic waste burning B.K. Gullett (USA)
Formation and Sources II	O084	Characterization of emissions of dioxins and furans from ethylene dichloride (EDC), vinyl chloride monomer (VCM) and polyvinylchloride (PVC) facilities in the United States. IV. Consolidated Report W.F. Carroll (USA)
Formation and Sources II	O085	A field study to evaluate the potential for the release of dioxins from pentachlorophenol-treated utility poles D.L. Winters (USA)
Formation and Sources II	O086	Dioxins impurities in old Japanese agrochemicals formulations S. Masunaga (Japan)
Formation and Sources II	O087	PCDD/PCDF formation characteristics during pyrolysis processes

Formation and Sources II	O088	R. Weber (Japan) Lime as a source of PCDD/F-contamination of Brazilian citrus pulp pellets (CPPs) R. Malisch (Germany)
Emission Control and Abatement Technologies I	O089	Removal, reformation and destruction of dioxins and related compounds in waste incinerator flue gas J. Unsworth (UK)
Emission Control and Abatement Technologies I	O090	Reduction of dioxin emission from hoogovens sinter plant with the AIRFINE system K. Hofstadler (Austria)
Emission Control and Abatement Technologies I	O091	Reduction of PCDD/F emissions by wet scrubbing R. Miglio (Italy)
Emission Control and Abatement Technologies II	O092	Substance flow approach for the control of PCDDs/DFs _ Recent development on emission control and abatement of PCDDs/DFs in Japan S.I. Sakai (Japan)
Emission Control and Abatement Technologies II	O093	Catalytic filtration: Dioxin/furan destruction in the baghouse. Experiences at the IVRO municipal waste incinerator in Roeselare, Belgium J.L. Bonte (Belgium)
Emission Control and Abatement Technologies II	O094	Organic pollutants in stack gases compared to solid emissions of municipal solid waste incinerators B. Hentschel (Germany)
Emission Control and Abatement Technologies II	O095	Atmospheric emission of PCDD/PCDFs from the municipal solid waste incinerator of Fusina (Venice) P. Paoli (Italy)
Emission Control and Abatement Technologies II	O096	Reduction of PCDD/F emissions from iron ore sintering plants _ The first full scale SCR-installation H.U. Hartenstein (Germany)
Emission Control and Abatement Technologies II	O097	The flux and mass balance of PCDD/Fs around cold side heat recovery section and fabric filtration in a MSW incinerator full scale plant M. Grosso (Italy)
Emission Control and	O098	Dioxin removal characteristics by bag filter

Abatement Technologies II

Environmental Levels in Sediment, Sewage, Sludge and Food	O099	M. Sato (Japan) Natural formation - a neglected source of polychlorinated dioxins and dibenzofurans
Environmental Levels in Sediment, Sewage, Sludge and Food	O100	C. Rappe (Sweden) Crabs and sediment from the Venice and Orbetello Lagoon, Italy
Environmental Levels in Sediment, Sewage, Sludge and Food	O101	J. Rivera (Spain) High concentration of PCDDs and PCDFs in river Kymijoki sediments, South-Eastern Finland, caused by wood preservative Ky-5
Environmental Levels in Sediment, Sewage, Sludge and Food	O102	M. Verta (Finland) Octachlorodibenzodioxin in sediments from coastal areas and irrigation drains of Queensland - an indication for an unknown PCDD source
Environmental Levels in Sediment, Sewage, Sludge and Food	O103	C.Gaus (Australia) Study of the variation in PCDD and PCDF levels in milk from cows exposed to different incineration plants in different periods
Environmental Levels in Sediment, Sewage, Sludge and Food	O104	M.A. Concejero (Spain) Field derived BCFs in pine needles for the calculation of air concentration of dioxins
Environmental Levels in Sediment, Sewage, Sludge and Food	O105	D. Calamari (Italy) Influential factors on time trends of PCDDs/DFs in sediments
Environmental Levels in Sediment, Sewage, Sludge and Food	O106	S.I. Sakai (Japan) PCDD/F in meat samples from domestic farm animals and game
Inventories	O107	R. Malisch (Germany) Inventory of sources and releases of dioxin-like compounds in the United States
Inventories	O108	D. Cleverly (USA) National and regional dioxin and furan inventories
Inventories	O109	H. Fiedler (Germany) Japanese source inventory, focusing on the emission reduction measures in the manufacturing of industries sector
		Y. Gotoh (Japan)

Inventories	O110	Preliminary budget of dioxins and dioxin-like PCBs in the lagoon of Venice A. Marcomini (Italy)
Inventories	O111	Strategies used in the Swedish dioxin survey C. de Wit (Sweden)
Inventories	O112	Dioxins and furans Italian national and local emission inventories R. De Lauretis (Italy)
Inventories	O113	The Spanish dioxin inventory: Proposal and preliminary results from municipal waste incinerator emissions B. Fabrellas Rodriguez (Spain)
Inventories	O114	PCDD/PCDF from municipal solid waste incinerators in Italy: An inventory of air emissions G. Pastorelli (Italy)
Endocrine Disruption II	O115	Endocrine disruptors and human health - An update S.H. Safe (USA)
Endocrine Disruption II	O116	Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on the development of male reproductive organs in the rats J. Yonemoto (Japan)
Endocrine Disruption II	O117	2,3,7,8-tetrachlorodibenzo-p-dioxin phase advances the deer mouse (<i>Peromyscus maniculatus</i>) circadian rhythm by altering expression of clock proteins R.L. Dickerson (USA)
Endocrine Disruption II	O118	Monitoring of estrogenic substances in sewage plant effluents by biological and chemical analysis W. Kerner (Germany)
Endocrine Disruption II	O119	Vertical profile of dioxin-like and estrogenic potencies in a sediment core from Tokyo Bay, Japan K. Kannan (USA)
Endocrine Disruption II	O120	Persistent methylsulfone metabolites of 2,2',4,5,5'-pentachlorobiphenyl are anti-estrogenic in the ER-CALUX and CARP-HEP/ELISA assays R.J. Letcher (The Netherlands)

Toxicology II	O121	Human health effects from PCBs and dioxin-like chemicals in the rice oil poisonings as compared with other exposure episodes Y.L. Guo (Taiwan)
Toxicology II	O122	Biochemical indexes of semen and spermatozoon functional activity after experimental influence of phenoxyherbicide ecotoxics S.N. Galimov (Russia)
Toxicology II	O123	Does the exposure to high levels of 2,3,7,8-tetrachloro-dibenzo- p -dioxin (TCDD) cause perinatal imprinting of the inducibility of cytochrome P4501a2 activity in the human? P. Brambilla (Italy)
Toxicology II	O124	Do toxic equivalency factors predict adverse reproductive effects of a mixture of dioxin and dioxin-like compounds J.T. Hamm (USA)
Toxicology II	O125	Cross-talk between 2,3,7,8-tetrachlorodibenzo-p-dioxin and testosterone signal transduction pathways in LNCaP prostate cancer cells C. Tohyama (Japan)
Toxicology II	O126	The effect of ortho-chlorinated biphenyls on the high affinity uptake of the neurotransmitters L-glutamate, GABA, and dopamine into rat brain synaptosomes E. Mariussen (Norway)
Environmental Fate and Transport II	O127	Long-range transport potential of PCB and PCDD/F and their classification M. Matthies (Germany)
Environmental Fate and Transport II	O128	Evidence for reactions of PCBs with OH radical during tropospheric transport J. Eisenreich (USA)
Environmental Fate and Transport II	O129	Field evaluation of a mathematical model of soil-to-carrot transfer of PCBs S. Harrad (UK)
Environmental Fate and Transport II	O130	Temporal trend for some mono- ortho and non- ortho CBs in Baltic Guillemot egg collected in 1969-1992 M. Olsson (Sweden)
Environmental Fate and Transport II	O131	Biomagnification and metabolism of chlorinated organic pollutants in harp seal (Phoca groenlandica)

Environmental Fate and Transport II	O132	I.C. Burkow (Norway) Biosorption of polychlorinated dibenzo-p-dioxins and dibenzofurans by <i>Bacillus Pumilus</i> Y.S. Chang (Korea)
Toxaphene, the Underestimated Pesticide	O133	Congener and enantiomer specific studies on the environmental fate of toxaphene D. Muir (Canada)
Toxaphene, the Underestimated Pesticide	O134	MATT: Monitoring, Analysis and Toxicity of Toxaphene - Improvement of analytical methods J. de Boer (The Netherlands)
Toxaphene, the Underestimated Pesticide	O135	The application of standard methods for the determination of toxaphene in environmental media F.J. Carlin (USA)
Toxaphene, the Underestimated Pesticide	O136	Are pulp and paper mills sources of toxaphene to Lake Superior and Northern Lake Michigan? R.A. Hites (USA)
Toxaphene, the Underestimated Pesticide	O137	Levels of eight toxaphene congeners in different tissues of marine organisms W. Vetter (Germany)
Toxaphene, the Underestimated Pesticide	O138	Metabolism of four toxaphene congeners by rat hepatic microsomes: Extrapolation of kinetic data to humans H.J. Drenth (The Netherlands)
Seveso	O139	Recent levels of PCDD/Fs in the territorial ecosystem of Seveso G. Umlauf (Italy)
Seveso	O140	Air levels of dioxins at Seveso: Patterns and sources R. Fanelli (Italy)
Seveso	O141	Human-dominated ecosystems and restoration ecology: Recovering Seveso C.A. Redi (Italy)
Seveso	O142	Vegetation Changes in a Restored Area Contaminated by the Dioxin: The Bosco delle Querce of Seveso F. Sartori (Italy)

Seveso	O143	Wildlife in the restored Seveso site Bosco delle Querce R. Massa (Italy)
Seveso	O144	Dioxin concentrations in food produced in Seveso area A. Arnoldi (Italy)
Seveso	O145	Human data derived from the Seveso accident P. Mocarelli (Italy)
Seveso	O146	Epidemiology of long-term health effects of dioxin exposure in the Seveso population P.A. Bertazzi (Italy)
Seveso	O147	Aims and Trends in EU and International Regulations S. Nespor (Italy)
Analysis II	O148	Ah receptor-based bioassays for dioxins and related chemicals: Applications and limitations M.S. Denison (USA)
Analysis II	O149	Chlorinated diphenylquinones as indicator compounds for the occurrence of chlorinated dioxins H. Parlar (Germany)
Analysis II	O150	Using TEF concept for assessing toxic potency of polycyclic aromatic hydrocarbons in industrial samples C. Klimm (Germany)
Analysis II	O151	Quadrupole ion storage tandem mass spectrometry and high-resolution mass spectrometry: Complementary application in the determination of PCDDs and PCDFs in U.S. and Kazakhstan foods D. Hayward (USA)
Analysis II	O152	Immunoassay analysis of dioxin in soil: Validation of TEQ screening at 500 ppt using rapid extraction and cleanup R.O. Harrison (USA)
Analysis II	O153	Demonstration of a TEQ selective PCB immunoassay R.E. Carlson (USA)

Analysis II	O154	Comparison of the binding efficiency of PCDDs/PCDFs in biomatrices using immunoaffinity columns from monoclonal and polyclonal antibodies W.L. Shelper (USA)
Toxicology III	O155	Cell cycle regulation by the Ah receptor M. G. Klüver (Germany)
Toxicology III	O156	2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) disrupts early morphogenetic events that form the lower reproductive tract in female rat fetuses C. Hurst (USA)
Toxicology III	O157	Preliminary results of testicular toxicity in the rat after chronic oral administration with the herbicide, Tordon 75D Δ.Θ. Οακας (Australia)
Toxicology III	O158	Screening for genetic variability of the human AHR (AH receptor) gene 5'-flanking region and the human ARNT (AH receptor nuclear translocator) gene by SSCP analysis and distribution study of CYP1A2 phenotypes in a cohort of healthy Caucasian volunteers J. Scheel (Germany)
Toxicology III	O159	TCDD-induced lesions in rat lung after chronic oral exposure A. Tritscher (Switzerland)
Toxicology III	O160	The relative potencies of PCDD and PCDF congeners to reduce hepatic vitamin A levels following subchronic dietary exposure E. Fattore (Sweden)
Toxicology III	O161	Role of the Ah receptor in tumor promotion M. Schwarz (Germany)
Toxicology III	O162	Mechanism of signal transduction by the Ah receptor L. Poellinger (Sweden)
Epidemiology: Recent Results and Research Paths	O163	Cohort studies of occupationally and environmentally exposed populations M. Kogevinas (Spain)
Epidemiology: Recent Results and Research Paths	O164	Remote consequences of PCDD/Fs exposure in subcohort of highly exposed workers of phenoxyherbicide in the city of Ufa Z. Amirova (Russia)

Epidemiology: Recent Results and Research Paths	O165	Twenty-year mortality follow-up of the Seveso population D. Consonni (Italy)
Epidemiology: Recent Results and Research Paths	O166	Serum dioxin and cancer in veterans of operation Ranch Hand J.E. Michalek (USA)
Epidemiology: Recent Results and Research Paths	O167	Mortality and waste incinerator emission of dioxins in Japan M. Yoshikawa (Japan)
Epidemiology: Recent Results and Research Paths	O168	Molecular epidemiology of dioxin-related effects in Seveso M.T. Landi (USA)
Epidemiology: Recent Results and Research Paths	O169	Determinants of ethoxyresorufin- O -deethylase (EROD) activity in human peripheral blood lymphocytes challenged <i>in vitro</i> with dioxin J. Grassman (USA)
Epidemiology: Recent Results and Research Paths	O170	Breast cancer incidence in a cohort of female workers with high exposure to polychlorinated dibenzo-p-dioxins and hexachlorocyclohexane D. Flesch-Janys (Germany)
Brominated Flame Retardants	O171	Brominated flame retardants in the environment _ An overview C.A. de Wit (Sweden)
Brominated Flame Retardants	O172	PBDE, 2,2',4,4',5-pentabromodiphenyl ether, causes permanent neurotoxic effects during a defined period of neonatal brain development P. Eriksson (Sweden)
Brominated Flame Retardants	O173	Tissue disposition, excretion, and metabolism of 2,2',4,4',5-pentabromodiphenyl ether (BDE-99) in male Sprague-Dawley rats H. Hakk (USA)
Brominated Flame Retardants	O174	Polybrominated-diphenyl-ethers in biota samples from Coastal British Columbia, Canada M.G. Ikonomou (Canada)
Brominated Flame Retardants	O175	Distribution of polybrominated diphenyl ethers in Canadian environment M. Alaee (Canada)
Brominated Flame Retardants	O176	Levels of polybrominated diphenyl ethers (PBDEs) in fish from the Great Lakes and Baltic Sea

Brominated Flame Retardants	O177	L. Asplund (Sweden) Levels of some brominated diphenyl ethers (PBDEs) in fish and human adipose tissue in Finland
Brominated Flame Retardants	O178	T. Strandman (Finland) Supercritical fluid extraction of polybrominated diphenyl ethers, PBDEs, from long-finned pilot whale (<i>Globicephala melas</i>) from the Atlantic
Formation and Sources III	O179	B. van Bavel (Sweden) Experimental study of <i>de novo</i> formation illustrated by various case-studies
Formation and Sources III	O180	A. Buekens (Belgium) Role of aliphatic precursors in the formation mechanism of PCDD/F, PCB and PCN
Formation and Sources III	O181	S. Sidhu (USA) Thermodynamic evaluation for the formation of dioxins/furans during combustion of the organic fraction contained in electronic scrap
Formation and Sources III	O182	N. Menad (Sweden) Formation experiments of polychlorinated dibenzo-p-dioxins / dibenzofurans with Na ³⁷ Cl
Formation and Sources III	O183	R. Addink (USA) Chlorination patterns of polychlorinated dibenzo-p-dioxins and furans in model particle systems
Formation and Sources III	O184	S.P. Ryan (USA) Dibenzofuran and dibenzodioxin patterns from (chloro) phenols in combustion reactions
Formation and Sources III	O185	I. Wiater (Poland) The determination of the role of gaseous oxygen in PCDD/F formation on fly ashes by the use of oxygen-18
Environmental Levels (Air and Soil) of Other Organohalogens	O186	J. Wilhelm (Germany) Polybrominated environmental pollutants: Human and wildlife exposures
Environmental Levels (Air and	O187	J. Bergman (Sweden) Polychlorinated (C10-C13) - Alkanes in the Great Lakes

Soil) of Other Organohalogen Environmental Levels (Air and Soil) of Other Organohalogen		D. Muir (Canada)
Environmental Levels (Air and Soil) of Other Organohalogen and Dioxins	O188	Polychlorinated naphthalenes in the United Kingdom _ Present and past K.C. Jones (UK)
Environmental Levels (Air and Soil) of Other Organohalogen and Dioxins	O189	Pentachlorophenol levels in beef adipose tissue as an indicator of treated-wood exposure J.K. Huwe (USA)
Environmental Levels (Air and Soil) of Other Organohalogen	O190	Environmental contamination following PCB manufacture in Eastern Slovakia A. Kocan (Slovakia)
Environmental Levels (Air and Soil) of Other Organohalogen	O191	PCDDs in naturally-formed lake sediment cores from Southern Mississippi, USA C. Rappe (Sweden)
Environmental Levels (Air and Soil) of Other Organohalogen	O192	PCDDs, PCDFs and PCBs in ambient air in New Zealand S.J. Buckland (New Zealand)
Environmental Levels (Air and Soil) of Other Organohalogen and Dioxins	O193	Monitoring PCDD/Fs in the vicinity of an old municipal waste incinerator, 1996-1998. Part II: Vegetation monitoring M. Schuhmacher (Spain)
Toxicokinetics	O194	The comparative toxicokinetics of dioxin-like chemicals and the role of CYP1A2 in their disposition M.J. De Vito (USA)
Toxicokinetics	O195	Half-lives and body burdens for dioxin and dioxin-like compounds in humans estimated from an occupational cohort in Germany C.J. Portier (USA)
Toxicokinetics	O196	Faecal and percutaneous elimination of TCDD in two patients with chloracne, and enhancement of faecal excretion with olestra, a fat substitute A. Geusau (Austria)
Toxicokinetics	O197	TCDD half-life in mammals and its dependence on body weight R. Miniero (Italy)
Toxicokinetics	O198	Metabolism of 1,3,7,8-tetrachlorodibenzo-p-dioxin in a ruminating calf J.K. Huwe (USA)
Toxicokinetics	O199	Deposition of PCDD/Fs and non-ortho PCBs in Long Evans rats

Risk Assessment and Risk Management	O200	C.Y. Chen (USA) Major sources of emissions of dioxins and risk assessment
Risk Assessment and Risk Management	O201	D. Schrenk (Germany) Dioxins in our diet: A real risk?
Risk Assessment and Risk Management	O202	C. Galli (Italy) The use of TEFs in the risk assessment of dioxins
Risk Assessment and Risk Management	O203	T. Sanderson (The Netherlands) Risk assessment of dioxins: Global perspectives
Risk Assessment and Risk Management	O204	M. Younes (Switzerland) Risk management of dioxins: Japanese perspectives
Risk Assessment and Risk Management	O205	M. Morita (Japan) Dioxin contamination of animal feed in Belgium: Cause, consequences and actions
Risk Assessment and Risk Management	O206	G. De Poorter (Belgium) Round table discussion (30) D. Schrenk, C. Galli, M. van den Berg, M. Younes, M. Morita, G. De Poorter, D. Liem, P. F · st